

BOROUGH OF RED BANK

COUNTY OF MONMOUTH

RESOLUTION 13-220

**A RESOLUTION GRANTING KLEINFELDER EAST INC.'S REQUEST TO
CONDUCT BORINGS AND INSTALL A TEMPORARY MONITORING DEVICE
ON BEHALF OF EXXON MOBIL AT 369 SHREWSURY AVENUE**

Mr. DuPont offered the following resolution and moved its adoption:

WHEREAS, Kleinfelder East Inc. (the "Applicant") has submitted an application on behalf of Exxon Mobil to the Borough of Red Bank's Director of Public Utilities for a street opening permit pursuant to the Borough's Ordinances to conduct boring work for the temporary installation of a ground water monitoring device to be located at 369 Shrewsbury Avenue and Drummond Avenue within the Borough of Red Bank; and

WHEREAS, said application has been reviewed by the Director of Public Utilities; and

WHEREAS, due to the temporary installation of the monitoring device within the Borough's streets, the Director of Public Utilities seeks further authorization from the Governing Body of the Borough of Red Bank for the installation of the monitoring device; and

WHEREAS, per the recommendation of the Director of Public Utilities, the proposed temporary installation presents no concern or harm to the Borough or its residents;

NOW THEREFORE BE IT RESOLVED that the Council of the Borough of Red Bank hereby approves the Applicant's request to install a temporary ground water monitoring device subject to final approval by the Director of the Public Utilities, and subject to compliance with all Borough Ordinances and any other laws or regulations applicable to such installations; and

BE IT FURTHER RESOLVED that when the subject testing is complete, the temporary use shall terminate and monitoring device shall be removed by the applicant.

Seconded by Mr. Murphy and adopted on roll call by the following vote:

	Yes	No	Abstain	Absent
Ms. Lewis	(x)	()	()	()
Mr. Zipprich	()	()	(x)	()
Mr. DuPont	(x)	()	()	()
Ms. Horgan	(x)	()	()	()
Ms. Lee	()	()	(x)	()
Mr. Murphy	(x)	()	()	()

Dated: October 9, 2013